Safety Data Sheet



Section 1: Identification

Product identifier

Product Name · Zoecon Altosid Pro-G Insect Growth Regulator

Synonyms • 37330; 38860; 38880; EPA Reg. No.: 2724-451; RF9010; Zoecon 9010 GR; Zoecon

Altosid XR-G

• Dark gray to black granules with a slight hydrocarbon odor.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Insect growth regulator

Restrictions on use • Keep out of reach of children. Avoid contact with eyes, skin or clothing. Avoid

breathing dust

Details of the supplier of the safety data sheet

Manufacturer • Wellmark International

1501 E. Woodfield Road. Suite 200 West

Schaumburg, IL 60173

United States

www.centralmosquitocontrol.com

Emergency telephone number

Manufacturer • 1-800-424-9300 - CHEMTREC

Manufacturer • 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

Manufacturer • 1-888-914-2082

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 • Carcinogenicity 1A

Specific Target Organ Toxicity Repeated Exposure 1

Label elements

OSHA HCS 2012

DANGER



Hazard statements • Causes damage to organs through prolonged or repeated exposure. May cause cancer.

Precautionary statements

Prevention • Do not eat, drink or smoke when using this product.

Do not handle until all safety precautions have been read and understood.

Obtain special instructions before use.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust, fume, gas, mist, vapors and/or spray.

Response • Get medical advice/attention if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

Storage/Disposal . Store locked up.

Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Supplemental information •

The finished product is not considered carcinogenic because of the product's physical form. The Hazard Statement "May Cause Cancer" is presented because a component of this product contains a naturally occurring trace amount of crystalline silica (quartz) which is classified as carcinogenic to humans if inhaled. Respiratory exposure to silica dust from the finished product is not expected to occur under normal conditions of use due to the manner in which the constituents are bound. The crystalline silica in the finished product is unlikely to pose personal exposure via inhalation in light of studies conducted that indicate there is minimal liberation of particulates from the product during extreme handling or transport.

Other hazards

OSHA HCS 2012

 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients

Substances

 Material does not meet the criteria of a substance according to United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Mixtures

Composition		
Chemical Name	Identifiers	%
S-Methoprene	CAS:65733-16-6	1.5%
Silica, crystalline - quartz	CAS:14808-60-7	90.6%
Other ingredients	NDA	7.9%

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

• IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin

 IF ON SKIN: Wash skin with soap and water. If skin irritation occurs: Get medical advice/attention.

Eye

 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion

· IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

· May cause cancer, causes damage to organs - lungs. Refer to Section 11 -Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • LARGE FIRE: Water spray, fog or regular foam. SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

Unsuitable Extinguishing

Media

· Avoid heavy hose streams.

Firefighting Procedures

Material is non-combustible and is not expected to pose a fire or explosion hazard.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion

Hazards

None known.

Hazardous Combustion

Products

No data available.

Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

· Use appropriate Personal Protective Equipment (PPE)

Emergency Procedures

Do not allow runoff into water, storm drains or drainage ditches.

Environmental precautions

· Runoff from fire control may cause pollution.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

 SMALL DRY SPILLS: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

· Avoid contact with skin or eyes.

Conditions for safe storage, including any incompatibilities

Storage

Store closed containers in a cool dry place. Do not contaminate water, food or feed by storage or disposal. Store locked up.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Format: GHS Language: English (US) OSHA HCS 2012

Exposure Limits/Guidelines			
	Result	ACGIH	NIOSH
Silica, crystalline - quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (respirable dust)

Exposure Limits Supplemental OSHA

•Silica, crystalline - quartz (14808-60-7): Mineral Dusts: ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)

ACGIH

Silica, crystalline - quartz (14808-60-7): TLV Basis - Critical Effects: (lung cancer; pulmonary fibrosis)

Exposure controls

Engineering Measures/Controls Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Personal Protective Equipment

Pictograms







Respiratory

• In case of insufficient ventilation, wear suitable respiratory equipment.

Eve/Face

• Wear protective eyewear (goggles, face shield, or safety glasses).

Hands

Wear appropriate gloves.

Skin/Body

· If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact.

General Industrial Hygiene

Considerations

Environmental Exposure

Controls

Do not get in eyes or on skin or clothing. Handle in accordance with good industrial hygiene and safety practice.

· No data available

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Dark gray to black granules. Mild hydrocarbon odor. Pezing Point 1610 C(2930 F)
·
27ing Point 1610 C/2930 F)
27ing Point 1610 C(2930 F)
2zing Point 1610 C(2930 F)
72111g 1 0111t [1010 0(20001)
Not relevant
2.4 g/cc
Insoluble
No data available
No data available

LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	Not Flammable.		
Environmental			
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

· No data available

Chemical stability

Stable

Possibility of hazardous reactions

· Hazardous polymerization will not occur.

Conditions to avoid

No data available.

Incompatible materials

· No data available.

Hazardous decomposition products

No data available.

Section 11 - Toxicological Information

Information on toxicological effects

	CAS	
Zoecon Altosid Pro-G Insect Growth Regulator	NDA	Acute Toxicity: Ingestion/Oral-Rat LD50 • >4000 mg/kg; Skin-Rat LD50 • >4000 mg/kg; Irritation: Eye-Rabbit • Essentially non-irritating; Skin-Rabbit • Essentially non-irritating

GHS Properties	Classification	
Acute toxicity	OSHA HCS 2012 • Classification criteria not met	
Aspiration Hazard	OSHA HCS 2012 • Classification criteria not met	
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A	
Germ Cell Mutagenicity	OSHA HCS 2012 • Classification criteria not met	
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met	
Skin sensitization	OSHA HCS 2012 • Classification criteria not met	
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1	
STOT-SE	OSHA HCS 2012 • Classification criteria not met	
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met	
Respiratory sensitization	OSHA HCS 2012 • Classification criteria not met	
Serious eye damage/Irritation	OSHA HCS 2012 • Classification criteria not met	

Potential Health Effects

Inhalation

Acute (Immediate)

• Exposure to respirable crystalline silica is not expected during the normal use of this product. However, acute silicosis can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as a few months. The symptoms of acute silicosis include progressive shortness of breath, fever, cough and weight loss.

Chronic (Delayed)

• Exposure to respirable crystalline silica is not expected during normal use of this product. However, prolonged overexposure to respirable crystalline silica may cause lung disease (silicosis).

Skin

Acute (Immediate)

• Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

· No data available.

Eye

Acute (Immediate)

Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

· No data available.

Ingestion

Acute (Immediate)

• Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

No data available.

Carcinogenic Effects

Exposure to respirable crystalline silica dust from the finished product is not expected
to occur due to the manner in which the constituents are bound, thus the finished
product is not considered carcinogenic under conditions of normal use.

Section 12 - Ecological Information

Toxicity

Component	CAS	Data
S-Methoprene (1.5%)	65733-16-6	Crustacea: NOEC Crustacea Mysid shrimp 0.014 mg/L [Chronic]; 48 Hour(s) LC50 Crustacea Daphnia magna 0.36 mg/L [Acute]; Fish: 96 Hour(s) LC50 Fish Rainbow Trout 0.76 mg/L [Acute]; 96 Hour(s) LC50 Fish Blue Gill >0.37 mg/L [Acute]; NOEC Fish Fathead minnow 0.048 mg/L [Chronic]

Persistence and degradability

· No data available

Bioaccumulative potential

No data available

Mobility in Soil

10-14 days, rapidly hydrolyzed in soil.

Other adverse effects

Ecological Fate

Not hydrolyzed up to 30 days.

Other Information

· No data available.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IMO/IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable
IATA/ICAO	Not Applicable	Not Regulated	Not Applicable	Not Applicable	Not Applicable

Special precautions for user • No data available

Transport in bulk according to Annex II of MARPOL 73/78 No data available

and the IBC Code

Other information

IMO/IMDG • No data available

IATA/ICAO · No data available

Key to abbreviations

= N/A = Not applicable.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Acute, Chronic

FIFRA – Pesticide Labeling

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of nonpesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION

Precautionary Statements • KEEP OUT OF THE REACH OF CHILDREN

Hazards to Humans and . **Domestic Animals**

Causes moderate eye irritation. Harmful if absorbed trough skin. Avoid contact with eyes or skin. Due to the size and abrasiveness of the granule, use protective eyewear and clothing to minimize exposure during loading and handling. Wash thoroughly with soap and water after handling.

First Aid • IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Environmental Hazards • Do not contaminate water when disposing of risate or equipment wash waters.

Inventory		
Component	CAS	TSCA
S-Methoprene	65733-16-6	No
	T .	

Silica, crystalline - quartz 14808-60-7 Yes

Section 16 - Other Information

Last Revision Date Preparation Date

- 07/July/2015
- Disclaimer/Statement of Liability
- 07/July/2015
- The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.